

Kaiserschnitt: Ja! Nein! Vielleicht?

Fußnoten- und Literaturverzeichnis zur 2. überarbeiteten Auflage, Januar 2012

Fußnotenverzeichnis

- ¹ Statistisches Bundesamt 2011
- ² Althabe & Belizan 2006
- ³ MIDIRS 2005
- ⁴ MIDIRS 2005
- ⁵ Dudenhausen et al. 2008
- ⁶ Kirschbaum & Heinrichs 2006
- ⁷ Lutz & Kolip 2006
- ⁸ AWMF 2008
- ⁹ AWMF 2008
- ¹⁰ Duden 2007
- ¹¹ Jungermann & Slovic 1993
- ¹² Wiedemann & Schütz, 2006
- ¹³ AWMF 2008
- ¹⁴ AWMF 2008
- ¹⁵ Hellbernd et al. 2005
- ¹⁶ Statistisches Bundesamt 2011
- ¹⁷ WHO 1985
- ¹⁸ Menacker 2010
- ¹⁹ Dudenhausen 2010
- ²⁰ Lutz & Kolip 2006
- ²¹ ProCompliance 2007
- ²² Oblasser 2007
- ²³ Lutz & Kolip 2006
- ²⁴ AWMF 2004
- ²⁵ AWMF 2006
- ²⁶ AWMF 2008
- ²⁷ AWMF 2006
- ²⁸ NICE 2004a
- ²⁹ AWMF 2006
- ³⁰ NICE 2004a
- ³¹ AWMF 2008
- ³² MIDIRS 2005
- ³³ Lutz & Kulip 2006
- ³⁴ Mailàth-Pkorny 2009
- ³⁵ NICE 2004a

- 36 NICE 2004a
- 37 AWMF 2006
- 38 Lutz & Kolip 2006
- 39 NICE 2004a
- 40 Childbirth Connection 2006
- 41 AWMF 2008
- 42 Lutz & Kolip 2006
- 43 AWMF 2006
- 44 NIH 2006
- 45 NIH 2006; Ponte 2007
- 46 AWMF 2006; NIH 2006
- 47 Ecker & Frigoletto 2007
- 48 Ponte 2007
- 49 NIH 2006
- 50 Wax 2004
- 51 Dudenhausen 2010
- 52 AWMF 2006
- 53 Lutz & Kolip 2006
- 54 Lutz & Kolip 2006
- 55 Lutz & Kolip 2006
- 56 van Dillen 2010
- 57 Liu 2007
- 58 ProCompliance 2005
- 59 Cheesman 2009
- 60 Hawkins 1997
- 61 Childbirth Connection 2006
- 62 Kainu 2009
- 63 Leth 2009
- 64 NICE 2004a
- 65 Lutz & Kolip 2006
- 66 Lal 2003a
- 67 Thom 2010
- 68 Wesnes 2009
- 69 Dolan 2010
- 70 Press 2007
- 71 Nelson 2010
- 72 Dolan 2010
- 73 Lal 2003b
- 74 Fenner 2006
- 75 Childbirth Connection 2006

- 76 Kalis 2008
- 77 WHO 2005
- 78 Lutz & Kolip 2006
- 79 AWMF 2008
- 80 AWMF 2006
- 81 Lutz & Kolip 2006
- 82 MIDIRS 2005
- 83 Childbirth Connection 2006
- 84 Lutz & Kolip 2006
- 85 Oral & Elter 2007
- 86 NIH 2006
- 87 Shellhaas 2009
- 88 Bodelon 2009
- 89 MIDIRS 2005
- 90 Thornton 2006
- 91 NIH 2006
- 92 Silver 2010
- 93 AWMF 2010
- 94 AWMF 2006
- 95 Lutz & Kolip 2006
- 96 NIH 2006
- 97 Andolf 2010
- 98 Frick 2010
- 99 NICE 2004a
- 100 Galyean 2009
- 101 NIH 2006
- 102 NICE 2004a
- 103 NICE 2004b
- 104 NICE 2004c
- 105 Yang 2011
- 106 Childbirth Connection 2006
- 107 Sakala 2006
- 108 Liu 2007
- 109 Kuklina 2009
- 110 AHRQ 2010
- 111 Cahill 2010
- 112 Bangdiwala 2010
- 113 Fogelsen 2005
- 114 NICE 2004c
- 115 Toker 2009

- 116 NICE 2004c
- 117 Löffler 2005
- 118 NIH 2006
- 119 Hansen 2008
- 120 Quiroz 2009
- 121 Heinzmann 2009
- 122 Benterud 2009
- 123 Farchi 2009
- 124 Lutz & Kolip 2006
- 125 AWMF 2006
- 126 Lutz & Kolip 2006
- 127 Malloy 2009
- 128 MacDormann 2006
- 129 Peaceman 2009
- 130 Rossi 2011
- 131 Zanardo 2010
- 132 Tamminen 1983
- 133 Evans 2003
- 134 Roduit 2009
- 135 Roduit 2009
- 136 Koplin 2008
- 137 Galyean 2009
- 138 Kamath 2009
- 139 Tita 2009
- 140 NICE 2004a
- 141 NICE 2004b
- 142 NICE 2004c
- 143 Sakala 2006
- 144 Childbirth Connection 2006
- 145 De Luca 2011

Literaturverzeichnis

- AHRQ, Agency for Healthcare Research and Quality (2006): Cesarean Delivery on Maternal Request. Evidence Report/Technology Assessment No. 133. U.S. Department of Health and Human Services, 540 Gaither Road, Rockville
- AHRQ, Agency for Healthcare Research and Quality (2010): Vaginal Birth after Caesarean: New Insights. Evidence Report/Technology Assessment No. 191. U.S. Department of Health and Human Services, 540 Gaither Road, Rockville
- Althabe F, Belizan JF. Cesarean section: The paradox. *The Lancet* 2006;368:1472-3.
- Andolf E, Thorsell M, Källén K (2010): Cesarean delivery and risk for postoperative adhesions and intestinal obstruction: a nested case-control study of the Swedish Medical Birth Registry. *Am J Obstet Gynecol* 203(4): 406.e1-6
- AWMF, Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften (2004): Anwesenheit der Väter bei Sectio Caesarea. Gemeinsame Empfehlung der Deutschen Gesellschaft für Anästhesiologie und Intensivmedizin, des Berufsverbandes Deutscher Anästhesisten, der Deutschen Gesellschaft für Gynäkologie und Geburtshilfe und des Bundesverbandes der Frauenärzte. AWMF.Leitlinie 015/022. Überarbeitung 2008; AWMF Online
- AWMF, Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften (2006): Absolute und relative Indikationen zur Sectio caesarea und so genannte Sectio auf Wunsch. Leitlinien der Arbeitsgemeinschaft Medizinrecht der Deutschen Gesellschaft für Gynäkologie und Geburtshilfe (DGGG). AWMF.Leitlinie 015/054. AWMF Online
- AWMF, Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften (2008): Absolute und relative Indikationen zur Sectio caesarea und so genannte Sectio auf Wunsch. Leitlinien der Arbeitsgemeinschaft Medizinrecht der Deutschen Gesellschaft für Gynäkologie und Geburtshilfe (DGGG). AWMF.Leitlinie 015/054. Überarbeitung 2008; AWMF Online
- AWMF, Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften (2010): Plazentationsstörungen bei Status nach Sectio. Deutsche Gesellschaft für Gynäkologie und Geburtshilfe (DGGG) – Arbeitsgemeinschaft Medizinrecht in der DGGG. AWMF.Leitlinie 015/046. Überarbeitung 2010; AWMF Online
- Benterud T, Sandvik L, Lindemann R (2009): Cesarean section is associated with more frequent pneumothorax and respiratory problems in the neonate. *Acta Obstet Gynecol Scand.* 88(3): 359-61
- Bodelon C, Bernabe-Ortiz A, Schiff MA, Reed SD (2009): Factors associated with peripartum hysterectomy. *Obstet Gynecol* 114(1): 115-123
- Cahill AG, Tuuli M., Odibo AO, Stamilio DM, Macones GA (2010): Vaginal birth after caesarean for women with three or more prior caesareans: assessing safety and success. *BJOG* 117(4):422-7
- Cheesman K, Brady JE, Flood P, Li G (2009): Epidemiology of anesthesia-related complications in labor and delivery, New York State, 2002-2005. *Anesth Analg* 109(4): 1174-1181
- Childbirth Connection (2006): What Every Pregnant Woman Needs to Know About Cesarean Section. (2nd Ed.) 281 Park Av. South, New York
- Bangdiwala SI, Brown SS, Cunningham FG, Dean TM, Frederiksen M, Hogue CJ, King TL, Lukacz ES, McCullough LB, Nicholson W, Petit NF, Probstfield JL, Viguera AC, Wong CA, Zimmet SC (2010): NIH Consensus Development Conference Draft Statement on Vaginal Birth After Cesarean: New Insights. *NIH Consens State Sci Statements.* 27(3), March 8-10
- De Luca R, Boulvain M, Irion O, Berner M, Pfister RE (2009): Incidence of early neonatal mortality and morbidity after late-preterm and term cesarean delivery. *Pediatrics* 123(6): e1064-1071
- Dillen van J, Zwart JJ, Schutte J, Bloemenkamp KW, Roosmalen van J (2010): Severe acute maternal morbidity and mode of delivery in the Netherlands. *Acta Obstet Gynecol Scand* 89(11): 1460-1465
- Dolan LM, Hilton P (2010): Obstetric risk factors and pelvic floor dysfunction 20 years after first delivery. *Int Urogynecol J Pelvic Floor Dysfunct* 21(5): 535-544
- Duden, *Das Fremdwörterbuch*, Bd. 5, 2007, 9. Aufl.
- Dudenhause JW, Chervanek FA (2010): Late motherhood and cesarean delivery. *Journal of Perinatal Medicine* 38(6): 596-570

- Dudenhausen JW, Pschyrembel W, Obladen M (2008): Praktische Geburtshilfe. Mit Geburtshilflichen Operationen. Gruyter
- Ecker JL, Frigoletto FD Jr (2007): Cesarean Delivery and the Ris-Benefit Calculus. *New England Journal of Medicine*. 356(9): 885-888
- Evans KC, Evans RG, Royal R, Esterman AJ, James SL (2003): Effect of caesarean section on breast milk transfer to the normal term newborn over the first week of life. *Arch Dis Child Fetal Neonatal* 88: F380-F382
- Farchi S, Di Lallo D, Franco F, Polo A, Lucchini R, Calzolari F, De Curtis M (2009): Neonatal respiratory morbidity and mode of delivery in a population-based study of low-risk pregnancies. *Acta Obstet Gynecol Scand* 88(6): 729-732
- Fenner D (2006): Anal incontinence: relationship to pregnancy, vaginal delivery, and cesarean section. *Seminars in Perinatology* 30(5) : 261-266
- Fogelson NS, Menard MK, Hulsey T, Ebeling M (2005): Neonatal impact of elective repeat cesarean delivery at term: a comment on patient choice cesarean delivery. *Am J Obstet Gynecol* 192(5): 1433-1436
- Frick AC, Drey EA, Diedrich JT, Steinauer JE (2010): Effect of prior cesarean delivery on risk of second-trimester surgical abortion complications. *Obstet Gynecol* 115(4): 760-764.
- Galyean AM, Lagrew DC, Bush MC, Kurtzman JT (2009): Previous cesarean section and the risk of postpartum maternal complications and adverse neonatal outcomes in future pregnancies. *J Perinatol* 29(11): 726-730
- Hansen AK, Wisborg K, Uldbjerg N, Henriksen TB (2008): Risk of respiratory morbidity in term infants delivered by elective caesarean section: Cohort study. *British Medical journal* 336: 85-87
- Hawkins JL, Koonin LM, Palmer SK, Gibbs CP (1997): Anesthesia-related deaths during obstetric delivery in the United States, 1979-1990. *Anesthesiology* 86(2): 277-284
- Heinzmann A, Brugger M, Engels C, Prömpeler H, Superti-Furga A, Strauch K, Krueger M (2009): Risk factors of neonatal respiratory distress following vaginal delivery and cesarean section in the German population. *Acta Paediatr* 98(1): 25-30
- Hellbernd H, Brzank P, Wieners K, Maschewsky-Schneider H: *Das S.I.G.N.A.L.-Interventionsprogramm*. Wissenschaftlicher Bericht. Handbuch für die Praxis. Bundeszentrale für gesundheitliche Aufklärung, Köln 2005 (Materialien zur Implementierung von S.I.G.N.A.L.-Interventionsprogrammen 2005)
- Jungermann & Slovic (1993). Charakteristika individueller Risikowahrnehmung. In: BayrischeRück (Ed.), *Risiko ist ein Konstrukt* (pp 89 – 107). München: Knesebeck
- Kainu JP, Sarvela J, Tiippana E, Halmesmäki E, Korttila KT (2009): Persistent pain after caesarean section and vaginal birth: a cohort study. *Int J Obstet Anesth* 19(1): 4-9
- Kalis V, Stipán J, Chaloupka P, Karbanová J, Rokyta Z (2008): Cesarean section and anal incontinence. *Ceska Gynecol* 73(2): 112-8
- Kamath BD, Todd JK, Glazner JE, Lezotte D, Lynch AM (2009): Neonatal outcomes after elective cesarean delivery. *Obstet Gynecol* 113(6): 1231-1238
- Kirschbaum C, Heinrichs M (2006): Biopsychologische Grundlagen. In: Wittchen H.-U., Hoyer J (Eds.). *Klinische Psychologie & Psychotherapie*. Springer Medizin Verlag Heidelberg
- Koplin J, Allen K, Gurrin L, Osborne N, Tang ML, Dharmage S (2008): Is caesarean delivery associated with sensitization to food allergens and IgE-mediated food allergy: a systematic review. *Pediatr Allergy Immunol* 19(8): 682-687
- Kuklina EV, Meikle SF, Jamieson DJ, Whiteman MK, Barfield WD, Hillis SD, Posner SF (2009): Severe obstetric morbidity in the United States: 1998-2005. *Obstet Gynecol* 113(2 Pt 1): 293-299
- Lal M (2003a): Prevention of urinary and anal incontinence: role of elective cesarean delivery. *Curr Opin Obstet Gynecol* 15(5): 439-448
- Lal M, H Mann C, Callender R, Radley S (2003b): Does cesarean delivery prevent anal incontinence? *Obstet Gynecol* 101(2): 305-312
- Leth RA, Moeller JK, Thomsen RW, Uldbjerg N, Noergaard M (2009): Risk of selected postpartum infections after cesarean section compared with vaginal birth: A five-year cohort study of 32,468 women. *Acta Obstet Gynecol Scand*. 29: 1-8

Liu S, Liston RM, Joseph KS, Heaman M, Sauve R, Kramer MS; Maternal Health Study Group of the Canadian Perinatal Surveillance System (2007): Maternal mortality and severe morbidity associated with low-risk planned cesarean delivery versus planned vaginal delivery at term. *CMAJ* 176(4) : 455-460

Löffler C (2005): Pressen oder schneiden? *Zeit-Wissen* 04/2005. Unter <http://zeus.zeit.de/zeit-wissen>.

Lutz U, Kolip P (2006): Die GEK-Kaiserschnittstudie. Gmünder Ersatzkasse (Hrsg). Schriftenreihe zur Gesundheitsanalyse, Bd. 42. Sankt Augustin, Asgard-Verlag Hippe

MacDorman MF, Declercq E, Menacker F, Malloy MH (2006): Infant and neonatal mortality for primary cesarean and vaginal births to women with no indicated risk, United States, 1998-2001 Birth Cohorts. *Birth* 33(3): 175-182

Malloy MH (2009): Impact of cesarean section on intermediate and late preterm births: United States, 2000-2003. *Birth* 36(1): 26-33

Menacker F, Hamilton BE (2010): Recent trends in cesarean delivery in the United States. *NCHS Data Brief* (35): 1-8

MIDIRS (2005): Caesarean section and VBAC (Vaginal birth after caesarean). Informed Choice for Professionals. 9 Elmdale Rd., Bristol

Nelson RL, Furner SE, Westercamp M, Farquhar C (2010): Cesarean delivery for the prevention of anal incontinence. *Cochrane Database Syst Rev.* 17 (2): CD006756

NICE, National Institute for Clinical Excellence (2004a): Caesarean section; Clinical Guideline 13. 71 High Holborn, London

NICE, National Institute for Clinical Excellence (2004b): Caesarean section; Summary of effects and procedural aspects. 71 High Holborn, London

NICE, National Institute for Clinical Excellence (2004c): Caesarean section; Understanding NICE guidance – information for pregnant women, their partners and the public. 71 High Holborn, London

NIH, National Institutes of Health (2006): NIH State-of-the-Science Conference Statement on Cesarean Delivery on Maternal Request. *NIH Consensus and State-of-the-Science Statements* 23(1)

Oblasser C, Ebner U, Wesp G (2007): *Der Kaiserschnitt hat kein Gesicht*. Edition Riedenburger, Salzburg

Oral E, Elter K (2007): The impact of cesarean birth on subsequent fertility. *Curr Opin Obstet Gynecol* 19(3): 238-243

Peaceman AM, Kuo L, Feinglass J (2009): Infant morbidity and mortality associated with vaginal delivery in twingestations. *Am J Obstet Gynecol* 200(4): 462.e1-6

Ponte W (2007): Cesarean birth in a culture of fear. *Mothering* 9/10: 49-63

Press JZ, Klein MC, Kaczorowski J, Liston RM, von Dadelszen P (2007): Does cesarean section reduce postpartum urinary incontinence? A systematic review. *Birth* 34(3) : 228-237

ProCompliance (Hrsg) (2005): *Geburtshilfliche Regionalanästhesie; dokumentierte Patientenaufklärung*. Thieme Verlag, Erlangen

Quiroz LH, Chang H, Blomquist JL, Okoh YK, Handa VL (2009): Scheduled cesarean delivery: maternal and neonatal risks in primiparous women in a community hospital setting. *Am J Perinatol* 26(4): 271-277

Roduit C, Scholtens S, de Jongste JC, Wijga AH, Gerritsen J, Postma DS, Brunekreef B, Hoekstra MO, Aalberse R, Smit HA (2009): Asthma at 8 years of age in children born by caesarean section. *Thorax* 64(2): 107-113

Rossi A, Mullin P, Chmait R (2011): Neonatal outcomes of twins according to birth order, presentation and mode of delivery: a systematic review and meta-analysis. *BJOG* 118(5) : 523-532

Sakala C (2006): *Vaginal or Cesarean Birth? A Systematic Review to Determine What is at Stake for Mothers and Babies*. Childbirth Connection. www.childbirthconnection.org/article.asp?ck=1027&ClickedLink=200&area=2

Shellhaas CS, Gilbert S, Landon MB, Varner MW, Leveno KJ, Hauth JC, Spong CY, Caritis SN, Wapner RJ, Sorokin Y, Miodovnik M, O'Sullivan MJ, Sibai BM, Langer O (2009): The frequency and complication rates of hysterectomy accompanying cesarean delivery. *Obstet Gynecol* 114(2 Pt 1): 224-229

Silver RM (2010): Delivery after previous cesarean: long-term maternal outcomes. *Semin Perinatol* 34(4) : 258-266

Statistisches Bundesamt (2011): 2009: Fast jede dritte Entbindung im Krankenhaus per Kaiserschnitt. Pressemitteilung Nr. 117 vom 23.3.2011. Wiesbaden; detailliert in: Statistisches Bundesamt (2011): Gesundheit, Grunddaten der Krankenhäuser. Fachserie 12 Reihe 6.1.1 Abschnitt 2.15

Tamminen T, Verronen P, Saarikoski S, Göransson A, Tuomiranta H (1983): The influence of perinatal factors on breast feeding. *Acta Paediatr Scand* 72(1): 9-12

Thom DH, Rortveit G (2010): Prevalence of postpartum urinary incontinence: a systematic review. *Acta Obstet Gynecol Scand* 89(12): 1511-1522

Thornton P (2006): New study confirms cesarean risks. *Medical News Today*, 8 April. Unter: www.medicalnewstoday.com

Tita AT, Lai Y, Landon MB, Spong CY, Leveno KJ, Varner MW, Caritis SN, Meis PJ, Wapner RJ, Sorokin Y, Peaceman AM, O'Sullivan MJ, Sibai BM, Thorp JM, Ramin SM (2009): Timing of elective repeat cesarean delivery at term and maternal perioperative outcomes. *Obstet Gynecol* 117(2 Pt 1): 280-286

Toker A, Perry ZH, Cohen E, Krymko H (2009): Cesarean section and the risk of fractured femur. *Isr Med Assoc J* 11(7) : 416-418

Wax JR, Cartin A, Pinette MG, Blackstone J (2004): Patient choice cesarean: an evidence-based review. *Obstet Gynecol Surv* 59(8): 601-616

Wesnes SL, Hunskaar S, Bo K, Rortveit G (2009): The effect of urinary incontinence status during pregnancy and delivery mode on incontinence postpartum. A cohort study. *BJOG* 116(5): 700-707

WHO, World Health Organization (1985): Joint Interregional Conference on Appropriate Technology for Birth, 22 - 26 April, Fortaleza, Brazil. ICP/MCH 102/m02(S) 0175V. World Health Organization, Regional Office for Europe, Geneva

WHO, World Health Organization (2005): The World Health Report 2005 – Make every mother and child count. World Health Reporting World Health Organization (Ed), Geneva, Switzerland. Unter: <http://www.who.int/whr/2005/annexes-en.pdf>

Wiedemann & Schütz, 2006. Risikokommunikation im Überblick. In: Linneweber und Lantermann (Eds.). *Enzyklopädie der Psychologie: Umweltpsychologie* (Vol. 2). Göttingen: Hogrefe

Yang SN, Shen LJ, Ping T, Wang YC, Chien CW (2011): The delivery mode and seasonal variation are associated with the development of postpartum depression. *J Affect Disord* (ahead of publ, March 3)

Zanardo V, Svegliado G, Cavallin F, Giustardi A, Litta P, Trevisanuto D (2010): Elective cesarean delivery: does it have a negative effect on breastfeeding? *Birth* 37(4): 275-279